

LIST OF XYLARIACEOUS FUNGI FROM POLAND

Presented classification is based on Rappaz (1987), Eriksson (2006), *Index Fungorum* (ed. Paul Kirk, 2007) and suggestions of Acero *et al.* (2004). Name of genera in parenthesis are questioned and will be changed in the future.

BOLINIALES P. F. Cannon 2001

Boliniaceae Rick 1931

- Camarops lutea* (Alb. & Schwein.) Shear, *Mycologia* **32**(4): 549. 1940.
Camarops microspora (P. Karst.) Shear, *Myc.* **30**(5): 588. 1938.
Camarops plana Pouzar, *Česká Mykol.* **40**(4): 219. 1986.
Camarops polysperma (Mont.) J. H. Mill., *Trans. Br. Mycol. Soc.* **15**: 151. 1930.
Camarops tubulina (Alb. & Schwein.) Shear, *Mycologia* **30**: 585, 1938.
Endoxyla cirrhosa (Pers.) E. Müll. & Arx, *Beitr. Kryptfl. Schweiz* **11**: 355. 1954.
Endoxyla rostrata (Tode) Munk, *Dansk bot. Ark.* **17**(1): 196. 1957.

XYLARIALES Nannf. 1932

Amphisphaeriaceae G. Winter 1885

- Amphisphaeria bufonia* (Berk. & Broome) Ces. & De Not, *Comm. Soc. Crittog. Ital.* **1**: 224. 1863.
Amphisphaeria helvetica H. Wegelin, *Beitr. Pyren. Schw.* **2**: 4. 1894.
Amphisphaeria millepunctata (Fuckel) Petr., *Annals Mycol.* **21**(3/4): 329. 1923.
Amphisphaeria pusiola P. Karst., *Mycol. Fenn.* **2**: 57. 1873.
Amphisphaeria sapinea P. Karst., *Bidr. Känn. Finl. Nat. Folk* **23**: 56. 1873.
Amphisphaeria umbrina (Fr.) De Not., *Sfer. Ital.*: 69. 1863.
Amphisphaeria vibratilis (Fuckel) E. Müll., *Beitr. Kryptfl. Schweiz.* **11**(2): 695. 1962.
Amphisphaerella xylostei (Pers.) Rulamort, *Bull. Soc. Bot. Centre-Ouest, Nouv. Sér.* **17**: 192. 1986.
Cainia graminis (Niessl) Arx & E. Müll., *Acta Bot. Neerl.* **4**(1): 112. 1955.
Discostroma corticola (Fuckel) Brockman, *Sydowia* **28**(1975): 313. 1976.

Clypeosphaeriaceae G. Winter 1886

- Ceratostomella ampullasca* (Cooke) Sacc., *Syll. fung. (Abellini)* **1**: 409. 1882.
Clypeosphaeria mamillana (Fr.) Lambotte, *Fl. Mycol. Belg. (Verviers)* **2**: 247. 1880.
Pseudovalsaria ferruginea (Nitschke) Rappaz, *Mycol. Helv.* **7**(1): 159. 1995.

Hyponectriaceae Petrak 1923

- Arwidsonia empetri* (Rehm) B. Erikss., *Svensk Bot. Tidskr.* **68**: 200. 1974.
Cainiella johansonii (Rehm) E. Müll., *Sydowia* **10**: 121. 1957 (1956).
Ceriophora palustris (Berk. & Broome) Höhn. *Sber. Akad. Wiss. Wien. Math. – naturw., Kl. Abt. 1*: 586, 1919.
Ceriospora dubyi Niessl *Verh. Nat. Ver. Brünn* **14**: 169, 1876.
Hyponectria buxi (DC.) Sacc., *Michelia* **1**(2): 250, 1878.

- Physalospora empetri* Rostr., *Botany of the Faroes* **1**: 310. 1901.
Pseudomassaria islandica (Johanson) M. E. Barr, *Mycologia* **56**: 854. 1965 (1964).
Pseudomassaria lycopodina (P. Karst.) Arx, in Müller & Arx, *Beitr. Kryptfl. Schweiz* **11**(2): 686. 1962.
Pseudomassaria minor (M. E. Barr) M. E. Barr, *Mycologia* **56**: 856. 1965 (1964).
Pseudomassaria sepincoliformis (De Not.) Arx, *Berichte Schweiz Bot. Ges.* **62**: 350. 1952.

Diatrypaceae Nitschke 1869

- Anthostoma cubiculare* (Fr.) Nitschke, *Pyrenomycetes Germanici* **1**: 113. 1867.
Anthostoma gastrinum (Fr.) Sacc., *Myc. Ven. Spec.*: 143. 1873.
Anthostoma rhenanum (Fuckel) Sacc., *Syll. Fung. (Abellini)* **1**: 307. 1882.
Anthostoma simplex (G. H. Otth) Sacc., *Syll. fung.* **11**: 25. 1895.
Anthostoma turgidum (Pers.) Nitschke, *Pyrenomycetes Germanici* **1**: 121. 1867.
Cryptosphaeria eunomia (Fr.) Fuckel, *Symb. Mycol.*: 212. 1870.
Cryptosphaeria ligniota (Fr.) Auersw. (as *C. lignyota*), in Rabenh., *Fungi europaei exs.*, ed. Nova, ser. 2, cent. **13**: 1269. 1869.
Diatrype bullata (Hoffm.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 385. 1849.
Diatrype decorticata (Pers.) Rappaz, *Mycol. Helv.* **2**(3): 398. 1987.
Diatrype disciformis (Hoffm.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 385. 1849.
[Diatrype] flavovirens (Pers.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 385. 1849.
Diatrype polycocca Fuckel, *Jb. Nassau. Ver. Naturk.* **23-24**: 231. 1870 (1869–70).
Diatrype rappazii (Chleb.) Lar. N. Vassiljeva, *Fungal Divers.* **17**: 198. 2004.
Diatrype spilomea Syd., in Smarods, *Schedae zu Fungi latvici exsic.* **9**, no. 424. 1934.
Diatrype stigma (Hoffm.) Fr., *Summa veg. Scand., Section Post. (Stockholm)*: 385. 1849.
Diatrype undulata (Pers.) Fr., *Summa veg. Scand., Section Post. (Stockholm)*: 385. 1849.
Diatrypella favacea (Fr.) Ces. & De Not., *De Not Sferiacei Italici*: 29. 1863.
Diatrypella melaleuca (Kunze) Nitschke, *Pyrenomycetes Germanici* **1**: 80. 1867.
Diatrypella moravica Petr. & Keissl., in Petrak, *Hedwigia* **62**: 294. 1921.
Diatrypella placenta Rehm, *Hedwigia* **21**(8): 117. 1882.
Diatrypella pulvinata Nitschke, *Pyrenomycetes Germanici* **1**: 72. 1867.
[Diatrypella] quercina (Pers.) Cooke, *J. Bot., London*, **4**: 99. 1866.
Eutypa crustata (Fr.) Sacc., *Syll. fung. (Abellini)* **1**: 164. 1882.
Eutypa laevata (Nitschke) Sacc., *Syll. fung. (Abellini)* **1**: 171. 1882.
Eutypa lata (Pers.) Tul. & C. Tul., *Select. fung. carpol. (Paris)* **2**: 56. 1863.
Eutypa lata (Pers.) Tul. & C. Tul. var. *acerii* Rappaz, *Mycol. Helv.* **2**(3): 362. 1987.
Eutypa lejoplaca (Fr.) Cooke, *Handb.*: no. 2400. 1871.
Eutypa maura (Fr.) Sacc., *Syll. fung. (Abellini)* **1**: 166. 1882.
Eutypa polycocca (Fr.) P. Karst., *Mycoth. Fenn. (Helsinki)* **2**: 127. 1871.
Eutypa sparsa Romell, in Paoletti, *Bot. not.*: 177. 1892.
Eutypa spinosa (Pers.) Tul. & C. Tul., *Select. Fung. Carpol. (Paris)* **2**: 59. 1863.
Eutypa subtecta (Fr.) Fuckel, *Jb. Nassau. Ver. Naturk.* **23-24**: 214. 1870 (1869–70).
Eutypella cerviculata (Fr.) Sacc., *Syll. fung. (Abellini)* **1**: 146. 1882.
Eutypella grandis (Nitschke) Sacc., *Syll. fung. (Abellini)* **1**: 152. 1882.
Eutypella leprosa (Pers.) Berl., *Icon. Fung.* **3**: 74. 1902.
Eutypella padina (Nitschke) Nannf. in Lundell & Nannf., *Fungi Exsicc. Suec. fasc.* 43-44, *Schedae* p. 32, 1953.
Eutypella prunastri (Pers.) Sacc., *Syll. fung. (Abellini)* **1**: 142. 1882.
Eutypella sorbi (J. C. Schmidt) Sacc., *Syll. fung. (Abellini)* **1**: 148. 1882.
Eutypella stellulata (Fr.) Sacc., *Syll. fung. (Abellini)* **1**: 149. 1882.

Eutypella tetraploa (Berk. & M. A. Curtis) Sacc., *Syll. fung. (Abellini)* **1**: 156. 1882.
Quaternaria quaternata (Pers.) J. Schröt. *Die Pilze Schlesiens* **2**(4): 451. 1897 [1908].
Quaternaria dissepta (Fr.) Tul. & C. Tul. *Select. Fung. Carpol.* (Paris) **2**: 107. 1863.

Xylariaceae Tul. & C. Tul. 1861

Annulohypoxyton cohaerens (Pers.) Y.M. Ju, J.D. Rogers & H.M. Hsieh, *Mycologia* **97**(4): 857. 2005
Annulohypoxyton multiforme (Fr.) Y. M. Ju, J. D. Rogers & H. M. Hsieh, *Mycologia* **97**(4): 859. 2005.
Anthostomella clypeata (De Not.) Sacc., *Syll. fung. (Abellini)* **1**: 283. 1882.
Anthostomella formosa Kirschst., *Verh. Bot. Ver. Prov. Brandenb.* **65**: 29. 1923.
Anthostomella pedemontana Ferr. & Sacc., *Atti del Congr. bot. di Palermo*: 50. 1902
Anthostomella sp., noted on *Pedicularis sudetica*
Barrmaelia oxyacanthae (Mont.) Rappaz, *Mycol. Helv.* **7**(1): 137. 1995.
Biscogniauxia marginata (Fr.) Pouzar, *Česká Mykol.* **33**: 216. 1979.
Biscogniauxia nummularia (Bull.) Kuntze, *Revis. Gen. Pl. (Leipzig)* **2**: 398. 1891.
Biscogniauxia repanda (Fr.) Kuntze, *Revis. Gen. Pl. (Leipzig)* **2**: 398. 1891.
Daldinia concentrica (Bolton) Ces. & De Not., *Comm. Soc. Crittog. Ital.* **1**: 197. 1863.
Daldinia fissa Lloyd, *Mycol. Writ.* **7**: 1313. 1922.
Entoleuca mammata (Wahlenb.) J. D. Rogers & Y. M. Ju, *Mycotaxon* **59**: 446. 1996.
Helicogermis slita fleischhackii (Auersw.) Læssøe & Spooner, *Kew Bull.* **49**(1): 48. 1994 [1993].
Hypocopra equorum (Fuckel) G. Winter, in Rabenhorst, *Rabenh. Krypt. -Fl (Leipzig)* **1**(2): 178. 1885.
Hypocopra fimeti (Pers.) Fr., *Summa veg. Scand., Section Post. (Stockholm)*: 397. 1849.
Hypocopra merdaria (Fr.) J. Kickx f., *Fl. Crypt. Flandres* **1**: 362. 1867.
Hypoxyton cohaerens (Pers.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 384. 1849.
Hypoxyton fragiforme (Pers.) J. Kickx f., *Fl. Crypt. Louvain*: 116. 1835.
Hypoxyton fuscopurpureum (Schwin.) M. A. Curtis, in Berkeley & M.A. Curtis, *Geol. Nat. Hist. Surv. North Carolina, Pt. 3*: 140. 1867.
Hypoxyton fuscum (Pers.) Fr., *Summa veg. Scand. (Stockholm)*: 384. 1849.
Hypoxyton howeanum Peck [as *howeianum*], *Ann. Rep. N. Y. state Mus.* **24**: 98. 1871.
Hypoxyton intermedium (Schwein.) Y. M. Ju & J. D. Rogers, *Mycol. Mem.* **20**: 133. 1996.
Hypoxyton macrocarpum Pouzar, *Česká Mykol.* **32**: 19. 1978.
Hypoxyton papillatum Ellis & Everh., in Smith, *Bulletin of the Ill. St. Labor. Nat. Hist.* **2**: 408. 1893.
Hypoxyton rubiginosum (Pers.) Fr., *Summa veg. Scand. (Stockholm)*: 384. 1849.
Hypoxyton terricola J. H. Mill., *Monograph of the World species of Hypoxyton*: 76. 1961.
Hypoxyton udum (Pers.) Fr., *Summa veg. Scand., Section Post. (Stockholm)*: 384. 1849.
Kretzschmaria deusta (Hoffm.) P. M. D. Martin, *J. S. Afr. Bot.* **36**: 80. 1970.
Nemania atropurpurea (Fr.) Pouzar, *Česká Mykol.* **39**(1): 19. 1985.
Nemania confluens (Tode) Laessøe & Spooner, *Kew Bull.* **49**(1): 40. 1994 (1993).
Nemania diffusa (Sowerby) Gray, *Nat. Arr. Brit. Pl. (London)*: 517. 1821.
Nemania effusa (Nitschke) Pouzar, *Česká Mykol.* **39**(1): 24. 1985.
Nemania serpens (Pers.) Gray, *Nat. Arr. Brit. Pl. (London)* **1**: 516. 1821.
Podosordaria tulasnei (Nitschke) Dennis, *Kew Bull.* 1957: 306. 1957.
Poronia punctata (L.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 382. 1849.
Rosellinia aquila (Fr.) Ces. & De Not., *G. Bot. Ital.* **1**(1): 334. 1844.
Rosellinia calva (Tode) Sacc., *Syll. fung. (Abellini)* **1**: 274. 1882.

Rosellinia corticium (Schwein.) Sacc., *Syll. fung. (Abellini)* **1**: 253. 1882.
Rosellinia desmazieri (Berk. & Broome) Sacc., *Fungi Italica* 9-12, tab. 393, 1878.
Rosellinia mammiformis (Pers.) Cest. & De Not., *Comm. Soc. Crittog. Ital.* **1**: 227. 1863.
Rosellinia thelena (Fr.) Rabenh. *Fung. Europ.* ed. II, 747, 1865.
Wawelia regia Namysl., *Bull. Int. Acad. Sci. Lett. Cracovie, Cl. sci. math. nat. Sér. B, sci. nat.*: an. 1908: 597. [1909].
Xylaria carpophila (Pers.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 382. 1849.
Xylaria corniformis (Fr.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 381. 1849.
Xylaria digitata (L.) Grev., *Fl. Edin.*: 356. 1825.
Xylaria filiformis (Alb. & Schw.) Fr., *Summa Veg. Scand., Section Post. (Stockholm)*: 382. 1849.
Xylaria hypoxylon (L.) Grev., *Fl. Edin.*: 355. 1824.
Xylaria longipes Nitschke, *Pyrenomycetes Germanici* **1**: 14. 1867.
Xylaria oxyacanthae Tul. & C. Tul., *Select. fung. Carpol. (Paris)* **2**: 15. 1863.
Xylaria polymorpha (Pers.) Grev., *Fl. Edin.*: 355. 1824.

Incertae sedis

Melomastia mastoidea (Fr.) J. Schröt., in Cohn, *Krypt.-Fl. Schlesien (Breslau)* **3**(2): 320. 1894.
Monographella nivalis (Schaffnit) E. Müll., *Revue Mycol., Paris* **41**(1): 132. 1977.
Phomatospora berkeleyi Sacc. *Nuovo Giorn. Bot. It.* **7**: 306. 1875.
Phorcys tiliae (Curtis) Schröt., *Krypt.-Fl. Schlesien (Breslau)* **3**(2): 381. 1908.